

Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

JobaSept

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

hand disinfectant

Identified Uses

SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Jobachem GmbH Am Burgberg 13 37586 Dassel

Telephone no. +49 5564 20078-0 Fax no. +49 5564 20078-11

Information provided Department product safety

by / telephone

E-mail address of info@jobachem.com

person responsible

for this SDS

1.4. Emergency telephone number

England / Wales: Poison Information Centre, Tel.: 111; USA: Poison Control Center, Tel.: +1 800 222 1222

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P243 Take precautionary measures against static discharge.

P280.6 Wear eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved disposal company or municipal

collection point. Do not discharge into the sewage system

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

Ethanol

CAS No. 64-17-5

Concentration 80 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319

Hydrogen peroxide solution 3%

CAS No. 7722-84-1 EINECS no. 231-765-0

Glycerol

CAS No. 56-81-5 EINECS no. 200-289-5

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

No special measures required. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse out mouth and give plenty of water to drink. Do not induce vomiting - aspiration hazard.

Adhere to personal protective measures when giving first aid



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye irritation. Inhalation of high vapor concentration my cause narcotic effects. Repeated or continued contact may cause skin irritation and dermatitis due to degreasing properties of the product.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Alcohol-resistant foam, Carbon dioxide, Dry chemical extinguisher

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Use explosion-proof apparatus and fittings. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take precautionary measures against static discharge. Use explosion-proof equipment/fittings and non-sparking tools. Keep away from combustible material. Wear shoes with conductive soles.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 15 < 25 °C

Storage stability

Storage period up to 6 months

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

Storage class according to TRGS 510

3 Flammable liquid

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

hand disinfectant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Ethanol

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Long term

Route of exposure inhalative

Mode of action Systemic effects

Concentration 950 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 343 mg/kg/d



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure

Route of exposure

Mode of action

Systemic ef

Mode of action Systemic effects

Concentration 114 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term Route of exposure dermal

Mode of action Systemic effects

Concentration 206 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term Route of exposure oral

Mode of action Systemic effects

Concentration 87 mg/kg/d

Predicted No Effect Concentration (PNEC)

Ethanol

Type of value PNEC
Type Freshwater
Concentration 0,96

0,96 mg/l

Type of value PNEC
Type Saltwater
Concentration 0.79

Concentration 0,79 mg/l

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 580 mg/l

Type of value PNEC

Type Freshwater sediment

Concentration 3,6 mg/kg

Type of value PNEC

Type Marine sediment

Concentration 2,9 mg/kg

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Avoid contact with eyes. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours.

Hand protection

Not necessary.

Eye protection



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

Safety glasses with side protection shield

Body protection

Clothing as usual in the chemical industry. Fire-resistant antistatic protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid colourless Odour alcohol-like

Odour threshold

Remarks not determined

pH value

Remarks not determined

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

not determined

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value 0,860 g/ml

Temperature 20 °C

Solubility in water

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Ignition hazard. Protect from heat and direct sunlight.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

Toxic gases/vapours, Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Reference substance Ethanol

Species Rats (male/female)

LC50 7060 mg/kg

Acute dermal toxicity

Reference substance Ethanol

Species Rats (male/female)

LD50 > 2000 mg/kg

Acute inhalational toxicity

Reference substance Ethanol

Species Rats (male/female)

LC50 20000 mg/l

Duration of exposure 4 d

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation strongly irritant

Sensitization



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

Remarks not determined

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks Based on available data, the classification criteria are not met.

Other information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity

Reference substance Ethanol

Species golden orfe (Leuciscus idus)

LC50 8140 mg/l

Duration of exposure 48 h

Daphnia toxicity

Reference substance Ethanol

Species Daphnia magna

LC50 > 100 mg/l

Duration of exposure 24 h

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

Substance / mixture doesn't meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects



Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	1170	1170	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es)	3	3	3
Label	***	***	
14.4. Packing group	II	II	II
Hazard id. no.	33		
Limited Quantity	11		
Transport category	2		
14.5. Environmental hazards		no	
	-		-
Tunnel restriction code	D/E		
14.6. Special precautions for user	See Sections 6 to 8	See Sections 6 to 8	See Sections 6 to 8

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: JobaSept

Substance number: 01-000308 Version: 3 / EU Date revised: 21.04.2020

Replaces Version: 2 / EU Print date: 21.04.2020

or mixture

Major-accident categories acc. 2012/18/EU

Category P5c FLAMMABLE LIQUID 5000000 kg 50000000 kg

Water Hazard Class (Germany)

Water Hazard Class WGK 1

(Germany)

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

CLP categories listed in Chapter 3

Eye Irrit. 2 Eye irritation, Category 2 Flam. Liq. 2 Flammable liquid, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.